

selectively operable to dispense medical items from the holder, the method comprising [the steps of]:

- (a) moving the dispenser module, while mounted, from a first position, wherein the dispenser module is within the enclosure, to a second position, wherein the holder extends outside the enclosure;
- (b) adding or removing at least one medical item from the holder while the holder extends outside the enclosure; and
- (c) moving the dispenser module from the second position to the first position wherein the holder is within the enclosure.

41. (once amended) [A] The method [of] according to claim 40 wherein the enclosure bounds an interior area, and wherein the enclosure includes an opening to the interior area, the dispenser includes a door in operative connection with the enclosure, wherein the door is movable between a closed position wherein the door closes the opening, and an open position wherein the door is disposed away from the opening, and further comprising [the steps of]:

- prior to step (a) moving the door of the enclosure from a closed position to an open position, wherein the holder is able to be moved outside the enclosure; and
- after step (c) closing the door.

42. (once amended) [A] The method [of] according to claim 40 wherein step [(c)] (b) comprises manually adding or removing at least one medical item from the holder.

43. (once amended) [A] ~~The method [of] according to claim 40 wherein the enclosure~~
bounds an interior area, and wherein the enclosure includes an opening to the interior area,
wherein the dispenser includes a door in operative connection with the enclosure, wherein the
door is movable between a closed position wherein the door closes the opening, and an open
position wherein the door is disposed away from the opening, the dispenser further includes a
path extending in the enclosure, wherein the path is in connection with a delivery area, whereby
medical items are accessible to a user in the delivery area, [and wherein the dispenser module
further includes a dispenser mechanism,] wherein the dispenser mechanism is selectively
operable to dispense medical items from the holder at a dispense location, and wherein in the
first position the dispenser module is within the enclosure and the dispense location is positioned
adjacent the path, and wherein when the door is in the open position the dispenser module is
movable to the second position, and wherein step (a) comprises moving the dispenser module
from the first position to the second position wherein in the second position the dispenser module
extends through the opening and the holder is manually accessible, and step (c) comprises
moving the dispenser module from the second position to the first position, wherein the dispenser
~~module is within the enclosure and the dispense location is positioned adjacent the path.~~

44. (once amended) The method [of] according to claim 40 and wherein the dispenser
module includes a helix rotating mechanism, and prior to step (b) further comprising [the steps
of]:

[f]d) engaging a helix with the helix rotating mechanism, wherein the holder
includes the helix;

[g]e) engaging a holder guide in operative connection with the dispenser module, wherein a first portion of the holder guide is extended in an inside area within the helix and a second portion of the holder guide extends in an exterior area outside of the helix.

52. (once amended) A method performed in connection with a medical item dispenser, the dispenser including an enclosure, a door in operative connection with the enclosure, a path extending in the enclosure, wherein the path is in connection with a delivery area, whereby dispensed medical items are accessible to a user in the delivery area, the method comprising [the steps of]:

(a) providing a dispenser module movably mounted [on] in supporting connection with the enclosure, wherein the dispenser module includes a holder enabling holding of medical items, and a dispenser mechanism selectively operable to dispense medical items from the holder at a dispense location positioned adjacent the path;

(b) moving the door of the enclosure from a closed position to an open position, wherein the holder is able to be moved outside the enclosure;

(c) moving the dispenser module while in supporting connection with the enclosure, from a first position, wherein the dispenser module is within the enclosure, to a second position, wherein the holder extends outside the enclosure;

(d) adding or removing at least one medical item from the holder while the holder extends outside the enclosure;

(e) moving the dispenser module from the second position to the first position wherein the holder is within the enclosure; and

(f) closing the door.

53. (once amended) A method performed in connection with a medical item dispenser apparatus[, the method performed with a dispenser apparatus] including:

an enclosure, wherein the enclosure bounds an interior area, and wherein the enclosure includes an opening to the interior area;

a door in operative connection with the enclosure, wherein the door is movable between a closed position wherein the door closes the [said] opening, and an open position wherein the door is disposed away from the opening;

a path extending in the [said] enclosure, wherein the path is in connection with a delivery area, whereby dispensed medical items are accessible to a user in the delivery area;

a dispenser module, wherein the dispenser module is movably mounted [on] in supporting connection with the enclosure, wherein the dispenser module includes a holder, wherein the holder enables holding the medical items therein, and a dispenser mechanism, wherein the dispenser mechanism is selectively operable to dispense medical items from the holder at a dispense location, and wherein the module is movable while mounted in supporting connection with [on] the enclosure between a first position and a second position, wherein in the first position the module is within the enclosure and the dispense location is positioned adjacent the path, and wherein when the door is in the open position the dispenser module is movable to ~~the second position, wherein in the second position the module extends through the opening and~~

the holder is manually accessible, whereby the medical items may be added or removed therefrom;

the method comprising [the steps of]:

- (a) moving the door from the closed position to the open position;
- (b) moving the mounted dispenser module from the first position to the second position, wherein the holder extends outside the enclosure;
- (c) adding or removing at least one medical item from the holder while the holder extends outside the enclosure;
- (d) moving the mounted dispenser module from the second position to the first position wherein the holder is within the interior area; and
- (e) closing the door.

61. (once amended) A method comprising [the steps of]:

- (a) providing an enclosure including a delivery area accessible from outside the enclosure;
- (b) providing a first dispenser module in the enclosure and in movably supporting connection with the enclosure through a first [support] guide arrangement, wherein the first guide arrangement is adapted to guide the first dispenser module during movement, wherein the first dispenser module includes a plurality of first medical items and is selectively operative to dispense first medical items therefrom, wherein first medical items dispensed from the first dispenser module in the enclosure move to the delivery area;